



नरहरिनाथ गाउँपालिका गाउँ कार्यपालिकाको कार्यालय

कुमालगाउँ, कालिकोट
कर्णाली प्रदेश, नेपाल



क्याटलग सपिड विधिबाट एम्बुलेन्स खरिद सम्बन्धी सूचना

तेस्रो पटक प्रकाशित मिति : २०७८/०२/०६

यस कार्यालयलाई एउटा एम्बुलेन्स आवश्यक भएकाले सार्वजनिक खरिद ऐन २०६३ को दफा ८ को उपदफा १ (क) ८ र सार्वजनिक खरिद नियमावली २०६४ को नियम ३१ (ख) को उपनियम २ बमोजिम सो बमोजिमको सवारी साधन उत्पादन वा वितरण गर्ने उत्पादक वा त्यसको आधिकारीक विक्रेताहरु विच मात्र प्रतिस्पर्धा गराउने क्याटलग (Catalog Shopping) विधिबाट खरिद गर्नुपर्ने भएकाले, ईच्छुक उल्लेखित सवारी साधन बिक्री गर्न चाहने उत्पादक वा वितरण गर्ने उत्पादक वा त्यसको आधिकारीक विक्रेताले आ-आफ्नो उत्पादनको आधिकारी स्पेशिफिकेशन, गुणस्तर, मुल्य र सुविधा सहितको विवरण (Catalog/Browser) संलग्न राखि यो सूचना प्रकाशित भएको मितिले ५ दिनभित्र यस कार्यालयमा सिलबन्दी निवेदन दर्ता गराउन र अन्य आवश्यक कागजात सहित सुचिकृत हुन समेत यो सूचना प्रकाशन गरिएको छ । सवारी साधनको विस्तृत विवरणको लागि यस कार्यालयको वेब साईड www.narharinathmun.gov.np मा हेर्नुहुन समेत अनुरोध छ ।

प्रमुख प्रशासकीय अधिकृत

प्रमुख प्रशासकीय अधिकृत

www.narharinathmun.gov.np

Email: narharinathgapa@gmail.com

Audio Notice Board No: 1618070768706



TECHNICAL SPECIFICATION OF 4WD, RHD & HARD TOP AMBULANCE

S.n.	Criteria	Requirement	Offered Specification
1	General	4WD Hard top Ambulance, Right Hand Drive model suitable for driving in Nepal at an altitude up to 2500 meter and in ambient temperature -5 to 50 degree centigrade Gross Vehicle Weight of the Vehicle shall not be less than 2400 kg. Payload not less than 900 kg. And shall have seating capacity for at least driver, passenger and patient.	Make: Model: Mfg. Year: GVW: Country of Origin: Pay load:
2	Engine	Turbocharged intercooled diesel Engine, Displacement not less than 2000 CC, Maximum rated power output not less than 60HP at governed RPM with torque not less than 110 NM @ governed RPM, engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions.	Make: Model: Displacement: Power output: Torque: No. of cylinder:
3	Emission Standard	The Emission Standard of the vehicle should comply "Vehicle Mass Emission Standard" of Nepal Which is to be certified by Department of Transport Management, Nepal	
4	Gauges	To fuel, oil pressure, Water temperature etc. as necessary for efficient operation and maintenance etc	
5	Clutch	Single Plate Dry Friction Diaphragm type	
6	Transmission	Manual shift at least 5 forward and one reverse. Synchronesh on all gears and floor mounted, engaged through control at driver seat.	
7	Ground clearance	High Ground clearance preferred. Minimum 190 mm.	
8	Fuel Tank Capacity	Min. 45 Ltrs	
11	Suspension	Semi Elliptical Leaf Springs and Shock absorber at front and rear.	
13	Steering	Power Steering	
14	Brakes	Disk Brakes at Front & Drum at rear, hydraulic operated at all wheel.	

Ramesh

Kamal Bahadur Shrestha
Mechanical Engineer





- 15 Cab
3 doors, 2 doors at front and one rear side all metallic cab with insulated roof, right hand drive (RHD), laminated glass wind screen, wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for driver and passenger, floor mats, two sun visors and two side view mirror and rear-view mirror. Rear body to be metallic, ambulance type.
- 16 Chassis and frame
Steel, heavy duty suitable for rough road conditions with toe-hook
- 17 Essential accessories
1. Head light, tail and rear light, reversing-light, and turn signals.
2. Cabin lights
3. Speedometer / odometer
4. Spare wheel with tyre and tube
5. Hydraulic Jack with handle
6. Front Seat belt for driver and co-passenger
7. Stretcher
8. Siren
9. Revolving/flashing Light (as per NS)
10. Oxygen Cylinder Holder
11. Saline bottle holder
12. Anti-skid Floor
13. Side Impact Beam on both Sides
14. Isolated Cabin
15. AC (Cooling on patient compartment)
Equipped with all accessories in standard model but not limited to the above items.
- 18 Instructions
All signs and instructions in the vehicle shall be in English or Nepali
- 19 Manuals
One Copy of the Operator's and Owner's instructions and maintenance manual in English shall be supplied with the vehicle.
- 20 Tools
A set of tools as required for general maintenance shall be supplied.
- 21 Color
Standard color
- 22 Proven Performance
The vehicle offered shall be under standard production by the manufacturer for at least one year with performance and Fuel consumption curve.

Ramraj
Kamal Bahadur Shahi
Mechanical Engineer





- 23 **Warranty** Manufacturer shall provide a minimum of One-year warranty after acceptance.
- 24 **Delivery** 4WD, Hard Top and HRD type Ambulance, shall be delivered to: Rural municipalities and district hospitals of Karnali Province.

PREPARED BY:


Name: Kamal Bahadur Shahi

Designation: Mechanical Engineer

Office: Ministry of physical infrastructure development, Karnali Province

Date: 2077/10/09

Signature:


Kamal Bahadur Shahi
Mechanical Engineer